

Curve a 45° e 90°

Senza saldatura

Acciaio Inox
Aisi 304-304L
316-316L

Tabella delle dimensioni

Tabella delle dimensioni					Tolleranze
DIN / ISO	GAS / ASA (pollici)	Diametro esterno x spessore (mm)	Schedula (mm)	Raggio curvatura (mm)	sul raggio (mm)
15	1/2	21.34x2.11	10 s	38.1	± 2.5
15	1/2	21.34x2.77	40 s	38.1	± 2.5
15	1/2	21.34x3.73	80 s	38.1	± 2.5
20	3/4	26.67x2.11	10 s	38.1	± 2.5
20	3/4	26.67x2.87	40 s	38.1	± 2.5
20	3/4	26.67x3.91	80 s	38.1	± 2.5
25	1	33.70x2.0	10 s	38.1	± 2.5
25	1	33.40x3.38	40 s	38.1	± 2.5
25	1	33.40x4.45	80 s	38.1	± 2.5
25	1	33.40x6.35	160 s	38.1	± 2.5
25	1	33.70x2.00	-	38.1	± 2.5
32	1 1/4	42.16x2.77	10 s	47.5	± 2.5
32	1 1/4	42.16x3.56	40 s	47.5	± 2.5
32	1 1/4	42.16x4.85	80 s	47.5	± 2.5
32	1 1/4	42.16x6.35	160 s	47.5	± 2.5
32	1 1/4	42.40x2.00	-	47.5	± 2.5
40	1 1/2	48.26x2.77	10 s	57.2	± 3.0
40	1 1/2	48.26x3.68	40 s	57.2	± 3.0
40	1 1/2	48.26x5.08	80 s	57.2	± 3.0
40	1 1/2	48.26x7.14	160 s	57.2	± 3.0
40	1 1/2	48.30x2.00	-	57.2	± 3.0
50	2	60.33x2.77	10 s	76.2	± 3.0
50	2	60.33x3.91	40 s	76.2	± 3.0
50	2	60.33x5.54	80 s	76.2	± 3.0
50	2	60.33x8.74	160 s	76.2	± 3.0
65	2 1/2	73.03x3.05	10 s	95.2	± 3.0
65	2 1/2	73.03x5.16	40 s	95.2	± 3.0
65	2 1/2	73.03x7.01	80 s	95.2	± 3.0
65	2 1/2	73.03x9.52	160 s	95.2	± 3.0
65	2 1/2	76.10x2.00	-	95.2	± 3.0
65	2 1/2	76.10x2.90	-	95.2	± 3.0
80	3	88.90x3.05	10 s	114.3	± 3.0
80	3	88.90x5.49	40 s	114.3	± 3.0
80	3	88.90x7.62	80 s	114.3	± 3.0
80	3	88.90x11.13	160 s	114.3	± 3.0
90	3 1/2	101.6x3.05	10 s	133.3	± 3.0
90	3 1/2	101.6x5.74	40 s	133.3	± 3.0
90	3 1/2	101.6x8.08	80 s	133.3	± 4.0
100	4	114.3x3.05	10 s	152.4	± 4.0
100	4	114.3x6.02	40 s	152.4	± 4.0
100	4	114.3x8.56	80 s	152.4	± 4.0
100	5	114.3x13.49	160 s	152.4	± 4.0
125	5	141.3x6.55	40 s	190.5	± 4.0
125	5	141.3x9.52	80 s	190.5	± 4.0
150	6	168.3x7.11	40 s	228.6	± 4.0
150	6	168.3x10.97	80 s	228.6	± 4.0
200	8	219.1x8.18	40 s	305.0	± 4.0
200	8	219.1x12.7	80 s	305.0	± 4.0
250	10	273.0x9.27	40 s	381.0	± 4.0
250	10	273.0x12.7	80 s	381.0	± 4.0
300	12	323.9x9.52	40 s	457.2	± 4.0
300	12	323.9x12.7	80 s	457.2	± 4.0



Curve speciali (R 2,5D)